



# GlassMaster<sup>®</sup> 25

THE ORIGINAL FIBERGLASS SHINGLE

Hearthstone Gray



# Designer SHINGLES and more...



A World Of Difference™






Weathered Wood



# DISTINCTIVE DESIGNER

- Black Shadow
- Desert Shake
- Heatherblend
- Hearthstone Gray
- Silver White
- Weathered Wood
- Woodland Green



Manufactured at Hampton & Franklin Locations





# GlassMaster<sup>®</sup> 25

THE ORIGINAL FIBERGLASS SHINGLE

The **GlassMaster<sup>®</sup> 25** is a shingle that offers both exceptional performance and value. The **GlassMaster<sup>®</sup> 25** provides homeowners proven, long-lasting durability combined with an appealing traditional look. Virtually any color scheme requirement can be satisfied by Atlas's widest selection of designer colors. A 25-year limited warranty and the unmatched quality standards make the **GlassMaster<sup>®</sup> 25** shingle a clear and sensible choice for value in a traditional 3-tab shingle.

## FEATURES & BENEFITS

- **Traditional, Elegant Appearance**
- **Unmatched Quality**
- **Modified Asphalt Wind Sealant**  
All Weather Application and Superior Wind Resistance
- **25 Year Limited Warranty**
- **Algae Resistant**  
Most Colors Standard
- **Designer Colors For**  
Virtually Any Taste
- **3M Ceramic Coated Granules**



**FINAL COLOR SELECTIONS SHOULD BE MADE USING ACTUAL SHINGLES.**

Please consult your Atlas distributor for specific color availability. Colors and shadow lines in the photos and the sample boards should be used as a guideline for your color selection.

[www.AtlasRoofing.com](http://www.AtlasRoofing.com)

# ROOFING




**Burnt Sienna**




**Dove Gray**



**Pewter**



**Russet**



Franklin only

Hampton only





*A beautiful home starts at the top.*



**SPECIFICATIONS - FRANKLIN, OH**

|                                    |  |
|------------------------------------|--|
| <b>Length</b>                      | <b>39 3/8" / 1m</b>                                |
| <b>Width</b>                       | <b>13 1/4" / 336 mm</b>                            |
| <b>Exposure</b>                    | <b>5 5/8" / 143 mm</b>                             |
| <b>Bundles Per Square Coverage</b> | <b>3</b>   |
| <b>Shingles Per Square</b>         | <b>63</b>  |
| <b>Algae Resistant</b>             | <b>Standard- Most Colors</b>                       |
| <b>ASTM</b>                        |  |
|                                    | D 7158, Class H Wind Resistance                    |
|                                    | D 6381, Uplift Resistance                          |
|                                    | D 3018, Type 1                                     |
|                                    | D 3161, Type 1, Wind Resistance (110 mph), Class F |
|                                    | D 3462, As Manufactured                            |
|                                    | E 108, Class A Fire Resistance                     |
| <b>UL</b>                          |  |
|                                    | 2390, Class H Wind Resistance                      |
|                                    | 790 Class A Fire Resistance                        |
|                                    | 997 Wind Resistance (110 mph)                      |
| <b>CAN/CSA-A123.5-M90</b>          |  |



**FOR MORE INFORMATION ABOUT GLASSMASTER CONTACT:**

Franklin, OH (800) 260-2852 FAX (937) 746-6040  
 Hampton, GA (800) 251-2852 FAX (770) 946-5249

**SPECIFICATIONS - HAMPTON, GA**

|   |  |
|---|--|
| <b>Length</b>                                     | <b>36" / 914.4 mm</b>                              |
| <b>Width</b>                                      | <b>12" / 304.8 mm</b>                              |
| <b>Exposure</b>                                   | <b>5" / 127 mm</b>                                 |
| <b>Bundles Per Square Coverage</b>                | <b>3</b>   |
| <b>Shingles Per Square</b>                        | <b>80</b>  |
| <b>Algae Resistant</b>                            | <b>Standard- Most Colors</b>                       |
| <b>ASTM</b>                                       |  |
|   | D 7158, Class H Wind Resistance                    |
|   | D 6381, Uplift Resistance                          |
|   | D 3018, Type 1                                     |
|   | D 3161, Type 1, Wind Resistance (110 mph), Class F |
|   | D 3462, As Manufactured                            |
|   | E 108, Class A Fire Resistance                     |
| <b>UL</b>   |  |
|   | 2390, Class H Wind Resistance                      |
|   | 790 Class A Fire Resistance                        |
|   | 997 Wind Resistance (110 mph)                      |
| <b>CAN/CSA-A123.5-M90</b>                         |  |
| <b>Florida Building Code Approval - #FL 784.2</b> |  |
| <b>Miami-Dade Compliant</b>                       |  |
| <b>Acceptance No. 05-0201.09</b>                  |  |



**FOR MORE INFORMATION ABOUT OTHER ATLAS ROOFING SHINGLE PRODUCTS, CONTACT:**

Ardmore, OK (800) 261-2852 FAX (580) 223-6894  
 Daingerfield, TX (800) 270-2852 FAX (903) 645-2291  
 Meridian, MS (800) 933-2721 FAX (601) 483-7344

**A World Of Difference™**



**RESIDENTIAL PRODUCTS DIVISION**

Corporate Sales and Marketing  
 2000 RiverEdge Parkway, Suite 800  
 Atlanta, Georgia 30328

[www.AtlasRoofing.com](http://www.AtlasRoofing.com)